

L Number	Hits	Search Text	DB	Time stamp
52	1038	probe with ((mark\$4 or features or character\$5) with (camera or ccd or (charged adj coupled adj device) or sensor))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/13 10:06
58	62	(probe with ((mark\$4 or features or character\$5) with (camera or ccd or (charged adj coupled adj device) or sensor))) same ((posit\$4 or locat\$4) with (orient\$4 or direct\$4))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/13 10:10
106	140	348/95.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/13 11:05
-	179	33/666.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/10 08:43
-	125	382/287.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/07 10:50
-	18	382/287.ccls. and (3d or three\$dimension\$3 or (three adj dimension\$3))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/11 17:43
-	121	382/287.ccls. and (mark\$4 or features or character\$5)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/07 11:00
-	93	382/287.ccls. and ((mark\$4 or features or character\$5) same (position or locatin))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/12 14:09
-	5	faul and schulz	EPO; DERWENT	2003/02/10 08:50
-	26	antognini	EPO; DERWENT	2003/02/10 08:53
-	8	leis and stephen	EPO; DERWENT	2003/02/10 08:54
-	236782	(3d or three\$ldimension\$3 or (three near dimension\$3))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/10 10:08
-	19298	((3d or three\$ldimension\$3 or (three near dimension\$3))) same (((position or location) and (orientation or direction)) or pose)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/10 10:15
-	50812	((3d or three\$ldimension\$3 or (three near dimension\$3))) same (position or location)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/10 10:15
-	14985	((((3d or three\$ldimension\$3 or (three near dimension\$3))) same (position or location)) same ((orientation or direction) or pose))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/10 10:16
-	2571	((((3d or three\$ldimension\$3 or (three near dimension\$3))) same (position or location)) same ((orientation or direction) or pose)) same (mark\$3 or dot or feature or character\$5 or id or identif\$7)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/10 10:17
-	805	(((((3d or three\$ldimension\$3 or (three near dimension\$3))) same (position or location)) same ((orientation or direction) or pose)) same (mark\$3 or dot or feature or character\$5 or id or identif\$7)) same (calculat\$4 or comput\$5))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/10 12:43

-	1248	382/287,154,291,216.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/11 13:23
-	844	382/287,154,291,216.ccls. and ((posit\$6 or locat\$4 or orient\$5 or direct\$4) near4 (detec\$5 or sens\$4 or measur\$5 or read\$3 or identif\$7))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/10 16:47
-	767	(382/287,154,291,216.ccls. and ((posit\$6 or locat\$4 or orient\$5 or direct\$4) near4 (detec\$5 or sens\$4 or measur\$5 or read\$3 or identif\$7))) and (mark\$4 or tag\$4 or label\$4 or referenc\$4 or landmark\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/10 16:54
-	398	(382/287,154,291,216.ccls. and ((posit\$6 or locat\$4 or orient\$5 or direct\$4) near4 (detec\$5 or sens\$4 or measur\$5 or read\$3 or identif\$7))) and (mark\$4 or landmark\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/10 16:44
-	211	((382/287,154,291,216.ccls. and ((posit\$6 or locat\$4 or orient\$5 or direct\$4) near4 (detec\$5 or sens\$4 or measur\$5 or read\$3 or identif\$7))) and (mark\$4 or landmark\$4)) or (three adj dimension\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/10 16:56
-	909000	((posit\$6 or locat\$4 or orient\$5 or direct\$4) near4 (detec\$5 or sens\$4 or measur\$5 or read\$3 or identif\$7))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/10 16:54
-	191828	((((posit\$6 or locat\$4 or orient\$5 or direct\$4) near4 (detec\$5 or sens\$4 or measur\$5 or read\$3 or identif\$7))) same (mark\$4 or tag\$4 or label\$4 or referenc\$4 or landmark\$4))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/10 16:55
-	3180	((((posit\$6 or locat\$4 or orient\$5 or direct\$4) near4 (detec\$5 or sens\$4 or measur\$5 or read\$3 or identif\$7))) same (mark\$4 or tag\$4 or label\$4 or referenc\$4 or landmark\$4)) same (3d or three\$dimension\$3 or (three adj dimension\$3))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/11 17:33
-	71	382/287,154,291,216.ccls. and (((((posit\$6 or locat\$4 or orient\$5 or direct\$4) near4 (detec\$5 or sens\$4 or measur\$5 or read\$3 or identif\$7))) same (mark\$4 or tag\$4 or label\$4 or referenc\$4 or landmark\$4)) same (3d or three\$dimension\$3 or (three adj dimension\$3)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/13 09:26
-	1250	382/287,154,291,216.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/11 13:38
-	625	382/287,154,291,216.ccls. and ((reduc\$4 or shrunk\$4 or shrink\$4 or decreas\$4) near3 image\$4 or frame)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/11 13:39
-	22	382/287,154,291,216.ccls. and ((reduc\$4 or shrunk\$4 or shrink\$4 or decreas\$4) near3 (image\$4 or frame) near4 resolution)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/11 17:40
-	71	382/287,154,291,216.ccls. and (((((posit\$6 or locat\$4 or orient\$5 or direct\$4) near4 (detec\$5 or sens\$4 or measur\$5 or read\$3 or identif\$7))) same (mark\$4 or tag\$4 or label\$4 or referenc\$4 or landmark\$4)) same (3d or three\$dimension\$3 or (three adj dimension\$3)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/11 15:03

-	2	(382/287,154,291,216.ccls. and (((((posit\$6 or locat\$4 or orient\$5 or direct\$4) near4 (detec\$5 or sens\$4 or measur\$5 or read\$3 or identif\$7))) same (mark\$4 or tag\$4 or label\$4 or referenc\$4 or landmark\$4)) same (3d or three\$dimension\$3 or (three adj dimension\$3))) ) and ((reduc\$4 or shrunk\$4 or shrink\$4 or decreas\$4) near3 (image\$4 or frame) near4 resolution)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/11 15:26
-	14	(382/287,154,291,216.ccls. and (((((posit\$6 or locat\$4 or orient\$5 or direct\$4) near4 (detec\$5 or sens\$4 or measur\$5 or read\$3 or identif\$7))) same (mark\$4 or tag\$4 or label\$4 or referenc\$4 or landmark\$4)) same (3d or three\$dimension\$3 or (three adj dimension\$3))) ) and ((reduc\$4 or shrunk\$4 or shrink\$4 or decreas\$4) near3 (image\$4 or frame))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/11 17:32
-	530	382/298.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/11 17:32
-	3194	((((posit\$6 or locat\$4 or orient\$5 or direct\$4) near4 (detec\$5 or sens\$4 or measur\$5 or read\$3 or identif\$7))) same (mark\$4 or tag\$4 or label\$4 or referenc\$4 or landmark\$4)) same (3d or three\$dimension\$3 or (three adj dimension\$3)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/11 17:42
-	156	356/12,13,14.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/11 17:39
-	301	382/298.ccls. and ((reduc\$4 or shrunk\$4 or shrink\$4 or decreas\$4) near3 (image\$4 or frame))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/11 18:23
-	168	(382/298.ccls. and ((reduc\$4 or shrunk\$4 or shrink\$4 or decreas\$4) near3 (image\$4 or frame))) and ((detec\$5 or sens\$4 or measur\$5 or read\$3 or identif\$7) same (mark\$4 or tag\$4 or label\$4 or referenc\$4 or landmark\$4))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/11 17:43
-	23	((382/298.ccls. and ((reduc\$4 or shrunk\$4 or shrink\$4 or decreas\$4) near3 (image\$4 or frame))) and ((detec\$5 or sens\$4 or measur\$5 or read\$3 or identif\$7) same (mark\$4 or tag\$4 or label\$4 or referenc\$4 or landmark\$4))) and (3d or three\$dimension\$3 or (three adj dimension\$3))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/11 17:58
-	19	((382/298.ccls. and ((reduc\$4 or shrunk\$4 or shrink\$4 or decreas\$4) near3 (image\$4 or frame))) and ((detec\$5 or sens\$4 or measur\$5 or read\$3 or identif\$7) same (mark\$4 or tag\$4 or label\$4 or referenc\$4 or landmark\$4))) and (posit\$5 and orient\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/13 08:49

-	12	((382/298.ccls. and ((reduc\$4 or shrunk\$4 or shrink\$4 or decreas\$4) near3 (image\$4 or frame))) and ((detec\$5 or sens\$4 or measur\$5 or read\$3 or identif\$7) same (mark\$4 or tag\$4 or label\$4 or referenc\$4 or landmark\$4)) ) and (posit\$5 and orient\$4 )) not (((382/298.ccls. and ((reduc\$4 or shrunk\$4 or shrink\$4 or decreas\$4) near3 (image\$4 or frame))) and ((detec\$5 or sens\$4 or measur\$5 or read\$3 or identif\$7) same (mark\$4 or tag\$4 or label\$4 or referenc\$4 or landmark\$4)) ) and (3d or three\$dimension\$3 or (three adj dimension\$3)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/11 17:59
-	54	batterman.in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/12 11:58
-	6	batterman.in. and 382/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/12 11:58
-	6530	probe same ((mark\$4 or features or character\$5) same (position or locatin))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/12 14:14
-	91	probe near2 ((mark\$4 or features or character\$5) same (position or locatin))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/12 14:23
-	50	probe near2 ((mark\$4 or features or character\$5) with (position or locatin))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/13 10:03
-	43	probe near2 ((mark\$4) same (position or locatin))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/12 14:27
-	564	(robot) near2 camera	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/12 15:30
-	148	((robot) near2 camera) with (imag\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/12 15:31
-	63	((robot) near2 camera) with (imag\$4)) same (posit\$4 or orient\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/12 16:07